

# *ProteinFind*<sup>®</sup> Goat Anti-Rabbit IgG(H+L), HRP Conjugate

Cat. No. HS101

Storage: at 2°C-8°C for one month; at -18°C or below for one year

## Description


HRP (Horseradish Peroxidase) can catalyze chemiluminescent reactions with substrates such as ECL, producing light emission, or catalyze colorimetric reactions with substrates like DAB and TMB. This product is a highly purified anti-rabbit antibody that specifically recognizes both the heavy and light chains of rabbit IgG, with minimal cross-reactivity to IgG from other species. It offers low background, high sensitivity, making it suitable for applications such as Western Blot and ELISA.

## Suggested Dilution

- Western Blot: 1:500-10000 dilution.
- ELISA: 1:1000-5000 dilution.

## Notes

- Aliquot prior to use, and avoid repeated freezing and thawing.
- Diluted antibody should be used within 12 hours.
- Sodium azide is an inhibitor of HRP, thus avoid using sodium azide as a preservative in antibody dilution.



*EasySee*<sup>®</sup> Western Marker (5 µl/well)

**For research use only, not for clinical diagnosis.**

Service telephone +86-10-57815020

Service email [custserv@transgenbiotech.com](mailto:custserv@transgenbiotech.com)

